

UL Product iQ™



GVEV7.R7309 - SWINGING FIRE DOOR CLOSERS CERTIFIED FOR CANADA

Swinging Fire Door Closers Certified for Canada

See General Information for Swinging Fire Door Closers Certified for Canada

DORMAKABA USA INC

R7309

6161 E 75TH ST
PO BOX 50444
INDIANAPOLIS, IN 46250 USA

For self-closing doors without hold-open feature Grade 1, spring hinge for half surface mounting, size 4-1/2 Model(s) 2063

For self-closing doors without hold-open feature Grade 1, spring hinge, sizes 3-1/2 by 3-1/2, 4-1/2 by 4-1/2, 8.89 cm by 8.89 cm, 11.43 cm by 11.43 cm Model(s) 2060, X2060

For self-closing doors without hold-open feature Grade 1, spring hinge, sizes 3-1/2 by 3-1/2, 4 by 4, 4-1/2 by 4-1/2, 8.89 cm by 8.89 cm, 10.16 cm by 10.16 cm, 11.43 cm by 11.43 cm Model(s) RD2060, XRD2060, XRD2068

For self-closing doors without hold-open feature Grade 1, spring hinge, sizes 3-1/2 by 3-1/2, 4 by 4, 4-1/2 by 4-1/2, 8.89 cm by 8.89 cm, 10.16 cm by 10.16 cm, 11.43 cm by 11.43 cm. Model(s) RD2068

For self-closing doors without hold-open feature Grade 1, spring hinge, sizes 4 by 4, 4-1/2 by 4-1/2, 10.16 cm by 10.16 cm, 11.43 cm by 11.43 cm Model(s) 2060R, RD2060R, RD2068R

For self-closing doors, non-hold-open, surface mounted type Model(s) SGDC100, SGDC50

For self-closing doors, surface mounted with non-hold open regular or parallel arm Model(s) D-1610, D-1611, D-3550 Series, D-3551 Series, D-4550 Series, D-4551 Series

For self-closing doors, without hold-open feature, surface mounted regular or parallel type Model(s) QDC 100, QDC 211, QDC 311

Trademark and/or Tradename:  ,  , 

Last Updated on 2019-03-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"